




City of Tukwila  
 Building Division/Permit Center  
 6300 Southcenter Blvd. #100  
 Tukwila, WA 98188  
 (206) 431-3670

# (M) MEANS OF EGRESS

## 2015 WASHINGTON STATE BUILDING CODES

### MERCANTILE MEANS OF EGRESS

\*\*\* Means of egress shall not pass through kitchens, storage rooms, closets or spaces used for similar purposes. ... #2.4 shall be demarcated, minimum 44 inches wide aisle defined by full or partial height fixed walls or similar construction that will maintain the required width and lead directly from the retail area to the exit without obstructions. (IBC 1016.2 #5 Exception 2.4)



Emergency lighting shall be provided at the "PATH OF EGRESS"  
 Emergency lighting ( ) shall meet means of egress illumination average 1 foot candle at the walking surface (no less than .5 candle). (IBC Section 1008.2)  
 (IBC 202 DEFINITION) COMMON PATH OF EGRESS TRAVEL.  
 That portion of the exit access travel distance measured from the most remote point within a story to that point where the occupants have separate access to two exits or exit access doorways.

STORE FRONT  
 (THIS SAMPLE PLAN ONLY)  
 2011 sq. ft Retail Area 2011 / 30  
 (at ground level) = 67 Occupants